

(2)

Europäisches Patentamt
European Patent Office
Office européen des brevets



(1) Publication number:

EUROPEAN PATENT APPLICATION

(1) Application number: 91102927.0

(5) Int. Cl.5: G07F 7/00, G08G 1/127,

G07B 15/00

② Date of filing: 27.02.91

Priority: 27.02.90 IL 93567

Date of publication of application:
 16.10.91 Bulletin 91/42

Designated Contracting States:
AT BE CH DE DK ES FR GB GR IT LI LU NL SE


Applicant: Hirshberg, Israel
 Peretz Naftall Street
 Petach Tikva(IL)

(7) Inventor: Hirshberg, Israel 4 Peretz Naftall Street Petach Tikva(IL)

Representative: Kraus, Waiter, Dr. et al Patentanwäite Kraus, Welsert & Partner Thomas-Wimmer-Ring 15 W-8000 München 22(DE)

(A) Car hire system.

(F) A highly automated car-rental system based on a specially equipped fleet of cars for hire and one or more control stations. An authorized subscriber can enter any car of the fleet which is free for hire at any location, and use it for a desired period of time, parking it at the end of the hire period at any authorized parking place. Cars are equipped with customer identification means, means enabling use of the car or refusing such use, monitoring means for the main subsystems and other parameters of the car and means for conveying such information to central control. There is also provided a system for monitoring in real time car position, and if desired, for displaying such information also on a monitor in the car, thus informing control on the position of the car at any instant of time.



P 0 451 482 A1

FIELD OF THE INVENTION

A car-rental system based on a fleet of specially equipped cars, which can be picked up and used by a subscriber of the system at either of a number of central parking lots, or at any random location where another user has parked a car at the termination of its hire. A control system keeps track of the location and movement of each car and the status of its main subsystems. It also checks the identity and whether a certain person attempting to hire a car is entitled to do so, enabling an entitled person to enter the car and use it for any desired period of time. It monitors the movements of the car and at the end of the hire period computes the bill of the subscriber. Servicing is done by personnel of the company. Other and further features will become apparent hereinafter.

BACKGROUND OF THE INVENTION

There exist many companies engaged in the hire of cars. This is generally done at certain terminals where the customer rents and picks up a car, and after use this car must be returned to a certain address, either the one where it was hired, or another one of the same company. Car hire is generally for a period of a number of days, and the customer has to fulfil certain formalities and sign forms.

One of the drawbacks is the fixed location start and fixed location return of the rented car. Another is the big problem of parking due to the congestion of traffic in most cities, and this reduces the attractivity of renting a car for use inside large cities. The novel system, which is highly automated, ctiviates to a large extent drawbacks of existing car hire precedures, and it is one of the main features that the person renting a car can leave it at any free parking space within the confines of a certain predetermined territory.

SUMMARY OF THE INVENTION

The invention relates to a highly automated car rental system. It comprises a fleet of cars, mainly private cars, each comprising special equipment as will be set out in the following, the main features being means for the identification of a person attempting to hire the car, means for establishing whether such person is entitled to do so, means for permitting entry of a person so entitled and also enabling him to use the car;

subscriber identification means issued to each subscriber, containing all the data required by the car-rental company, such as identity etc; where it is possible to store relevant data at a control-command station.

such means permitting a subscriber access to a car of the car fleet free for rental is generally in the form of a magnetic or clever electronic card;

each of the cars will be designated as belonging to the car-rental company, and will have means indicating to the potential user whether the car is free for hire or not.

There is provided a system passing on information to central control where each car is located at any given period of time.

There is further provided either one central control or a central control with a number of substations, which automatically carries out most of the functions required for the smooth operation of the entire system. There is further provided service personnel with special equipment for any required servicing or repairs, and for the reflueling of the care.

The determination of the location of the individual cars can be carried out by any of the known existing location systems. It can be effected by means of a plurality of sensing means located along main roads and equipped with transcelving means, sensing when a car passes such a control post, and informing a control station accordingly, or by any other conventional system.

According to a preferred embodiment each of the cars is provided with a slot into which the subscriber has to introduce his magnetic or electronic card, there being provided means to establish immediately whether the person inserting the card is entitled at that given period of time to rent a car. If so, the door of the car will be unlocked, and preferably the subscriber will be required to enter a special personal code on a keyboard, terminating his identification. Central centrol or the vehicle computer will authorise the use of the car, and enable the customer to start his journey, keeping track of the movement of the car via the carlocation identification system. The subscriber will be able to use the car for any desired period of time, from a single journey inside a town and up to a number of days. The subscriber is entitled to terminate the car hire at any authorized parking place and need not return the car to a fixed address, thus improving the convenience of the user. As long as the car is on hire, this will be indicated to the outside by certain means, and when the user terminates his rental period, he has to actuate certain indication means, enabling the central control to bill him, and to change the indication of the car to being free for hire. If such self-rent cars will constitute a certain percentage of the cars in the streets of a given city, say about 10 per cent, this will greatly reduce parking problems as the same car can be used within a given period of time by many persons. Such a fleet of self-rent cars will also greatly reduce the use of private cars in cities. as it obviates the cost and inconvenience of park-

Each car will be equipped with a plurality of sensors adapted to inform the vehicle computer or central control about the main systems of the car, such as hell level, oil, cooling water, fire pressure, electrical system, state of the battery, brakes and other systems.

Evaluation of the data by the computer of central control will indicate whether any servicing is required and whether it is safe to continuo using the car or not. It will indicate whether servicing is required before renting the car to the next subscriber. The type and number of monitored parameters is a matter of choice of the operators of the system. The car computer andfor the central control will also control access to the luggage compartment, provide for opening and locking of the hood, opening and locking of the hood, opening and locking of ar doors etc.

Central control has all the time a good overall picture about the distribution of cars free for hire over the network of the streets. If any undue accumulation occurs, cars can be moved by personnel to other parts of the city thus increasing the number of cars offered at such location, and to increase overall use of the car fleet.

According to a preferred embodiment, local authorities anxious to reduce the use of private cars and their parking in city streets, will allocate special parking places for cars of the system.

As pointed out above, each car will be equipped with a special computer and amongst its tasks: customer identification and authorization of car use, monitoring of car position at any given period of time (in cooperation with the car location system in city streets), monitoring status and performance of key car subsystems, and transmitting all such data to the main control station for evaluation and if required - action. Any type of commonly used cards can be used, such as magnetic cards, bar code cards, clever electronic cards, etc; the car being equipped accordingly with card-reading and decoding means. A transceiver is used for communication with central control. If desired, means can be provided for displaying any desired information for the person who rented the car. The car can also be provided with a computer graphic display.

Cantral control (or the memory device of the computer in any of the cars) will contain data on subscribers, also indicating disqualified ones.

The cars can be equipped with alarm means which will be actuated when an unauthorized person iries to use a car or when the car is stolen. The location indication system can be used for locating the position of a stolen car. If desired means can be provided enabling the person renting the car to inform central control about any

emergency and thus to obtain speedy assistance.

Central control at offices of the company or other location, will comprise either a large computer or a network of inter-connected smaller ones, connected via a modern and transceiver with each car of the network, assigning to each car or group of cars a special frequency. As transmissions are only for a small percentage of time, computers and transceivers can be used for communication with a plurality of cars.

Nearly all of the components used in the system are conventional ones and need no detailed description. As stated above, the main feature is the semi-automatic car hire processes and return of vehicle after use by parting in any authorized parking zone. Pick-up of any free car will be wherever such a car is found parked, i.e. where the last uses has terminated his car-hire.

The invention is illustrated with reference to the enclosed schematical drawings, which are not according to scale and in which:

Figure 1 is a block diagram of the mobile car position indicating system, part of the car for bire.

Figure 2 is a block diagram of a car status monitoring and control system incorporated in cars of the invention;

Figure 3 is a perspective view of a car equipped with a slot for inserting the actuation (magnetic) card of the user; and which bears also indication means for the status of the car at any given carded of time:

period of time; Figure 4 illustrates the dashboard of such a car, computer keyboard and monitor screen;

Figure 5 is a plan view of part of a city indicating plan, as displayed on the screen of the monitor in the car, indicating car position.

Figure 6 is a perspective view of a car location determining system.

Various systems and subsystems of the present invention are illustrated with reference to the enclosed drawings, and it cught to be understood that these are of an illustrative nature only, and that many variations and changes in the components, functions and interconnections can be resorted to, without departing from the general scope of the semi-automatic car-hire system of the invention.

As shown in Figure 1, car position indicating means according to the invention comprise in combination a transceiver 11, provided with an antenna 12, connected via mcdern 13 to a computer, generally a digital computer 14 which is connected with tloopy disk drive 15, with keyboard 16 for providing input to the computer 14, and with monitor 17 connected to the computer. The device is powered by car battery 18 or by power supply 19. The computer 14 is also connected with a memory

40

45

4

device such as a hard clisk drive 20. The keyboard can be used for the input of information by the person renting the car with both vehicle control and central control, it can be used by both vehicle and central control for informing the person hing the car of any problems, such as any technical problems with a car sub-system, etc.

The monitor can be used also for providing instantaneous information on the real-time position of the car moving in traffic, it is clear that this device has a versatility of uses and can be used both by vehicle control and central control and by the person hiring the car for mutual information, and also to control key subsystems of the car by either central control or vehicle control.

Figure 2 illustrates a control system of the car provided with means for indicating to central control the status of many of the critical components of the car, and it also allows both controls to exert control over subsystems, such as car lock, fuel inlet etc. This system comprises in combination sensor interface 21 to the car computer 14, and interface channel 22 for activating electrical means such as control elements comprising an electrical car-lock 23, a similar lock for the fuel inlet 24, a hood lock 24', and a relay 25 connected with distributor 26; allowing control to monitor the function of the distributor 26 and also to connect and disconnect it at will. There are provided temperature and volume sensing means for radiator 27 and sensor for the fuel in the fuel tank and a sensor for the hydraulic fluid system 28, and one for monitoring the car lamp status, 29. The computer 14 is further connected with personal card reader 30 and with car-status indicator 31, which provides a person outside the car with information whether the car is available for hire, or not, and whether it requires servicing. Car engine 32 is provided with temperature measuring means 33.

As shown, the sensors and control elements are connected with the computer, which can communicate via the system of Figure 1 with central control and also receive and carry out commands received from central control. Ranges of acceptable values of the various parameters can be stored in the memory of the computer, 14, enabling the computer to monitor whether the subsystems are in operating condition.

As shown in Figure 3, the car 34 is provided with the card entrance slot 35 of card reader 30, and with the status indicator 31.

As shown in Figure 4, the conventional dashboard of the car 41, provides the conventional car control means and the regular indicators of speed, fuel gauge etc. Adjacent these there is provided the monitor 17 and the keyboard 16 which have been described with reference to Figure 1.

The instantaneous car position can be dis-

played, as shown in Fig. 5, on monitor 17, thus enabling the user of the car to find his way through traffic to any desired destination. Such destination is provided at the beginning of the lourney to the car computer, and this retrieves the required output from the memory disk and if required obtains and displays further information obtained from central control.

Central control maintains during all the time of the ental period full control of the car, and is able to terminate if required the operation of the car. Furthermore, control is continuously appraised of the status of critical subsystems and their functioning, thus making possible the provision of information to the car hier and also to correct by means of service personnel any faults which require servicine and resair.

The car can also be equipped with means for indicating to central control theft of the car. Means can also be provided for indicating to control any sudden shock, such as will occur in a traffic accident or even be caused by a third party to the parking car.

Other and further parameters can be sensed and controlled, and the choice of these is largely a matter of choice of the operator of the entire car rent system and this may also differ between different types of cars according to specific characteristics of these.

According to a preferred embodiment, the car related system comprises means for determining in real time the exact location of each rented car while this travels through the streets of a town. Such a system is illustrated with reference to Figure 6 which is a schematical perspective view of a car moving in a street, where at one of the corners a transceiver station is located.

The principle of this system is the provision of a plurality transceiver stations, 61, located along suitable positions along city roads, as here, at the intersection of certain roads 62 and 63. This transceiver 61' is connected by phone or other means to central control, and communicates with control using a code which is specific for each such transcription.

sceiver.

Each of the rental cars 64 is equipped with a transceiver, digital computer and memory means. The transmission range of 61 is small, and when car 64 passes close to transceiver 61, the mobile transceiver receives a signal, and the code and storage of location data enables the computer of the car to inform the user about his position with a high degree of accuracy. At the same time the transceiver 61 informs central control about the fact that a certain defined car has passed the transceiver, and on its circotion of travel, thus enabling control to ascertain in real time the exact position of each travelling car.

Claims

 A semi-automatic car-rental system enabling a customer-subscriber to pick up and rent a car of the car fleet of the system and use it according to his requirements, comprising in combination:


a fleet of cars each of which is provided with means for enabling an entitled subscriber to enter and actuate a car picked up by the customer at a random location:


subscriber identification means enabling the subscriber to identify himself to central control or his computer, and check his entitlement to use the car:


a location identification system informing a control station about the instant location of the


central control means storing data about the location of each car, about entitled customers, means for receiving information about a desired rental and for entitlement verification and for transmitting to the individual car a command authorizing or not the intended hire, means for monitoring data about each such use until the customer parks such car at any location and indicate the end of this car-hire.


- A system according to claim 1, where the location determination means comprise a pluratity of car positioning transceivers positioned in the area of the operation of the system, informing central control about the movement of each car.
- A system according to claim 1 or 2, where the cars are each equipped with means for indicating to central control important data on the state of vital subsystems of the car, fuel reserve, oil level, cooling fluid and the like.
- A system according to any of claims 1 to 3, where means are provided at central control for the billing of each rental period.
- A system according to any of claims 1 to 4, where the customer identification means comprise an electronic or magnetic card and a subsystem actuated by the customer according to his specific code.














Fig 6

EUROPEAN SEARCH REPORT

Application Number

EP 91 10 2927

DOCUMENTS CONSIDERED TO BE RELEVANT				
Category	Citation of document w	tth indication, where appropriate, evant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. CLS)
Y,A	FR-A-2 535 491 (THOMS * page 6, line 22 - page 8,	ON-BRANDT) ine 25; figures 1, 2 *	1,3-5	G 07 F 7/00 G 08 G 1/127 G 07 B 15/00
A,Y	US-A-3 757 290 (G.F. RO abstract; figures 1, 2 * * co	SS) plumn 10, lines 31 - 64 *	1,2	0.0.0
A	EP-A-0 179 160 (R. WUT * abstract; claims *	TKE)	1,4,5	
Α	EP-A-0 323 326 (SGS-TH	OMSON MICROELECTRONICS)		
A	DE-A-3 805 810 (V. AMER	ND) 		
		σ.		
			-	
				TECHNICAL FIELDS SEARCHED (Int. CL5)
				G 07 F
		8		G 07 C G 08 G
	The present search report has	seen drawn up for all claims		
	Place of search	Date of completion of search	<u>'-</u> '	Examiner
	The Hague	13 June 91		DAVID J.Y.H.

CATEGORY OF CITED DOCUMENTS

- X: particularly relevant if taken alone
 Y: particularly relevant if combined with another
 document of the same catagory
 A: technological background
 Y: particularly relevant if combined with another
 C: intermediate document
 T: theory or principle underlying the invention
- E: earlier patent document, but published on, or after
- the filing date

 D: document cited in the application

 L: document cited for other reasons
- &: member of the same patent family, corresponding document